


# Bi-Folding Doors - Open In Hinge Jamb - Standard

# **BISON**




Please note: On bi-fold door styles 220, 440 and 660 **two** 20mm addons are required to the lock style of the outer frame.

**NB: It is recommended that Open Out bi-fold doors are used in exposed locations.**


Bison Frames, Unit H1, Bromcliffe Park, Monk Bretton, Barnsley. S71 5RN.

Tel: 01226 715250 Fax: 01226 707948 [www.bisonframes.com](http://www.bisonframes.com)

# Bi-Folding Doors - Open In Main Track To Bottom



***BISON***



Open In  
Option


**1**

**NB: It is recommended that Open Out bi-fold doors are used in exposed locations.**


Bison Frames, Unit H1, Bromcliffe Park, Monk Bretton, Barnsley. S71 5RN.

Tel: 01226 715250 Fax: 01226 707948 [www.bisonframes.com](http://www.bisonframes.com)

# Bi-Folding Doors - Open In Main Track To Bottom



***BISON***



Open In  
Option


**2**

**NB: It is recommended that Open Out bi-fold doors are used in exposed locations.**


Bison Frames, Unit H1, Bromcliffe Park, Monk Bretton, Barnsley. S71 5RN.

Tel: 01226 715250 Fax: 01226 707948 [www.bisonframes.com](http://www.bisonframes.com)

# Bi-Folding Doors - Open In Main Track To Top



**BISON**



Open In  
Option


**3**

**NB: It is recommended that Open Out bi-fold doors are used in exposed locations.**


Bison Frames, Unit H1, Bromcliffe Park, Monk Bretton, Barnsley. S71 5RN.

Tel: 01226 715250 Fax: 01226 707948 [www.bisonframes.com](http://www.bisonframes.com)

# Bi-Folding Doors - Open In Main Track To Top



**BISON**



Open In  
Option


**4**

**NB: It is recommended that Open Out bi-fold doors are used in exposed locations.**

Bison Frames, Unit H1, Bromcliffe Park, Monk Bretton, Barnsley. S71 5RN.


Tel: 01226 715250 Fax: 01226 707948 [www.bisonframes.com](http://www.bisonframes.com)

# Bi-Folding Doors - Open In Main Track To Top



Open In  
Option


**5**




This is currently the lowest possible PVCu threshold.

**NB: It is recommended that Open Out bi-fold doors are used in exposed locations.**  
Bison Frames, Unit H1, Bromcliffe Park, Monk Bretton, Barnsley. S71 5RN.  
Tel: 01226 715250 Fax: 01226 707948 [www.bisonframes.com](http://www.bisonframes.com)

# Bi-Folding Doors - Open In Main Track To Top



**BISON**



Open In  
Option

**6**

**NB: It is recommended that Open Out bi-fold doors are used in exposed locations.**  
Bison Frames, Unit H1, Bromcliffe Park, Monk Bretton, Barnsley. S71 5RN.  
Tel: 01226 715250 Fax: 01226 707948 [www.bisonframes.com](http://www.bisonframes.com)