



The BISON Vertical Slider with traditional timber jointing methods used on every joint.

COMPANY:				ORDER	QUOTE	Viewed Outside	Page No.: _____ of _____			
TEL:		FAX:		Order Date: / /			ENERGY RATING	A	B	C
EMAIL:				Req'd Date: / /			PAS24:		YES	NO
REF:				Signed:						
Window Colour:	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
Hardware Colour:	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUÉ BLACK	INSIDE	
Spacer Bar Colour:	SILVER (aluminium)	DARK BRONZE (aluminium)	GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE				

GENESIS VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON			
Please circle your choices		Quantity:		Please indicate clearly any Add-on and Georgian bar detail			
Location:					Width		
Sash Horns (No horns unless stated)		<i>Run Through (milled)</i>	NONE		Height		
Bottom Sash Rail (Deep bottom rail as standard)		<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>		Top Glass Type		
VS CILL (Stub cill unless stated as standard)		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>	
VS Cam Locks (1 lock unless stated as standard)		ONE (1)	TWO (2) NONE		Bottom Glass Type		
Travel Restrictor (limit stop) (no restrictor unless stated)		ONE (1)	TWO (2) NONE		<i>Toughened</i>	<i>Obscure</i>	
Sash Tilt Restrictor Arms (Bottom only unless stated as standard)		<i>Bottom Sash (standard)</i>	<i>Top Sash & Bottom Sash</i> NONE		Georgian Bar		
Trickle Vent (If required fitted to head of top sash)		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>	
Notes 1:				Notes 2:			

GENESIS VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON			
Please circle your choices		Quantity:		Please indicate clearly any Add-on and Georgian bar detail			
Location:					Width		
Sash Horns (No horns unless stated)		<i>Run Through (milled)</i>	NONE		Height		
Bottom Sash Rail (Deep bottom rail as standard)		<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>		Top Glass Type		
VS CILL (Stub cill unless stated as standard)		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>	
VS Cam Locks (1 lock unless stated as standard)		ONE (1)	TWO (2) NONE		Bottom Glass Type		
Travel Restrictor (limit stop) (no restrictor unless stated)		ONE (1)	TWO (2) NONE		<i>Toughened</i>	<i>Obscure</i>	
Sash Tilt Restrictor Arms (Bottom only unless stated as standard)		<i>Bottom Sash (standard)</i>	<i>Top Sash & Bottom Sash</i> NONE		Georgian Bar		
Trickle Vent (If required fitted to head of top sash)		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>	
Notes 1:				Notes 2:			

GENESIS VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON			
Please circle your choices		Quantity:		Please indicate clearly any Add-on and Georgian bar detail			
Location:					Width		
Sash Horns (No horns unless stated)		<i>Run Through (milled)</i>	NONE		Height		
Bottom Sash Rail (Deep bottom rail as standard)		<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>		Top Glass Type		
VS CILL (Stub cill unless stated as standard)		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>	
VS Cam Locks (1 lock unless stated as standard)		ONE (1)	TWO (2) NONE		Bottom Glass Type		
Travel Restrictor (limit stop) (no restrictor unless stated)		ONE (1)	TWO (2) NONE		<i>Toughened</i>	<i>Obscure</i>	
Sash Tilt Restrictor Arms (Bottom only unless stated as standard)		<i>Bottom Sash (standard)</i>	<i>Top Sash & Bottom Sash</i> NONE		Georgian Bar		
Trickle Vent (If required fitted to head of top sash)		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>	
Notes 1:				Notes 2:			



The BISON Vertical Slider with traditional timber jointing methods used on every joint.

COMPANY:	ORDER	QUOTE	Viewed Outside	Page No.:	of		
TEL:	FAX:	Order Date:	/ /	ENERGY RATING	A	B	C
EMAIL:	Req'd Date:	/ /	Signed:	PAS24:	YES	NO	
REF:							

GENESIS VS MULTI-SEGMENT DETAIL SHEET

Window Colour:	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
Hardware Colour:	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUA BLACK	INSIDE	
Spacer Bar Colour:	SILVER (aluminium)	DARK BRONZE (aluminium)	GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE				

GENESIS VERTICAL SLIDING SASH SPEC/INFO SIZES TO INCLUDE ALL CILLS AND ADD-ON

Please circle your choices	Quantity:		
Location:			
Sash Horns (No horns unless stated)	Run Through (milled)	NONE	
Bottom Sash Rail (Deep bottom rail as standard)	DEEP RAIL (milled)	SMALL RAIL (milled)	
VS CILL (Stub cill unless stated as standard)	STUB CILL (150)	PROJECT CILL (210)	
VS Cam Locks (1 lock unless stated as standard)	ONE (1)	TWO (2)	NONE
Travel Restrictor (limit stop) (no restrictor unless stated)	ONE (1)	TWO (2)	NONE
Sash Tilt Restrictor Arms (Bottom only unless stated as standard)	Bottom Sash (standard)	Top Sash & Bottom Sash	NONE
Trickle Vent (If required fitted to head of top sash)	YES	NO	
Notes:			

Please indicate clearly any Add-on and Georgian bar detail					
Width					
↑					Height
↓					
Split					
Top Glass Type		Bottom Glass Type		Georgian Bar	
Toughened	Obscure	Toughened	Obscure	Internal (18mm)	Astragal (22mm)

Please circle your choices	Quantity:		
Location:			
Sash Horns (No horns unless stated)	Run Through (milled)	NONE	
Bottom Sash Rail (Deep bottom rail as standard)	DEEP RAIL (milled)	SMALL RAIL (milled)	
VS CILL (Stub cill unless stated as standard)	STUB CILL (150)	PROJECT CILL (210)	
VS Cam Locks (1 lock unless stated as standard)	ONE (1)	TWO (2)	NONE
Travel Restrictor (limit stop) (no restrictor unless stated)	ONE (1)	TWO (2)	NONE
Sash Tilt Restrictor Arms (Bottom only unless stated as standard)	Bottom Sash (standard)	Top Sash & Bottom Sash	NONE
Trickle Vent (If required fitted to head of top sash)	YES	NO	
Notes:			

Please indicate clearly any Add-on and Georgian bar detail					
Width					
↑					Height
↓					
Split					
Top Glass Type		Bottom Glass Type		Georgian Bar	
Toughened	Obscure	Toughened	Obscure	Internal (18mm)	Astragal (22mm)

Please circle your choices	Quantity:		
Location:			
Sash Horns (No horns unless stated)	Run Through (milled)	NONE	
Bottom Sash Rail (Deep bottom rail as standard)	DEEP RAIL (milled)	SMALL RAIL (milled)	
VS CILL (Stub cill unless stated as standard)	STUB CILL (150)	PROJECT CILL (210)	
VS Cam Locks (1 lock unless stated as standard)	ONE (1)	TWO (2)	NONE
Travel Restrictor (limit stop) (no restrictor unless stated)	ONE (1)	TWO (2)	NONE
Sash Tilt Restrictor Arms (Bottom only unless stated as standard)	Bottom Sash (standard)	Top Sash & Bottom Sash	NONE
Trickle Vent (If required fitted to head of top sash)	YES	NO	
Notes:			

Please indicate clearly any Add-on and Georgian bar detail					
Width					
↑					Height
↓					
Split					
Top Glass Type		Bottom Glass Type		Georgian Bar	
Toughened	Obscure	Toughened	Obscure	Internal (18mm)	Astragal (22mm)



The BISON Vertical Slider with traditional timber jointing methods used on every joint.

COMPANY:	ORDER	QUOTE	Viewed Outside	Page No.:	of		
TEL:	FAX:	Order Date:	/ /	ENERGY RATING	A	B	C
EMAIL:	Req'd Date:	/ /	Signed:	PAS24:	YES	NO	
REF:							

GENESIS VS BAY & WELDED CILL DETAIL SHEET

Window Colour:	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
Hardware Colour:	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUÉ BLACK	INSIDE	
Spacer Bar Colour:	SILVER (aluminium)	DARK BRONZE (aluminium)	GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE				

GENESIS VERTICAL SLIDING SASH SPEC/INFO

SIZES TO INCLUDE ALL CILLS AND ADD-ON

Please circle your choices		Quantity:	
Location:			
Sash Horns (No horns unless stated)	<i>Run Through (milled)</i>	NONE	
Bottom Sash Rail (Deep bottom rail as standard)	<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>	
VS CILL (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
VS Cam Locks (1 lock unless stated as standard)	ONE (1)	TWO (2)	NONE
Travel Restrictor (limit stop) (no restrictor unless stated)	ONE (1)	TWO (2)	NONE
Sash Tilt Restrictor Arms (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash & Bottom Sash</i>	NONE
Trickle Vent (If required fitted to head of top sash)	YES	NO	
Notes:			

Please indicate clearly any Add-on and Georgian bar detail					
A Left Side		B Front		C Right Side	
Top Glass Type		Bottom Glass Type		Georgian Bar	
Toughened		Obscure		Internal (18mm) Astragal (22mm)	

INTERNAL CILL SIZES, OVERALL HEIGHTS & ANGLES

DRAW CILL PLAN BELOW

Left side 'A' internal cill size
Front 'B' internal cill size
Right side 'C' internal cill size
Overall Height
Left Angle (Variable angle VS bay post 120 to 150 degrees only)
Right Angle (Variable angle VS bay post 120 to 150 degrees only)

90 DEGREE FIXED ANGLE VS BAY POST ALSO AVAILABLE

IF YOU DO NOT REQUIRE A WELDED CILL & BAY POSTS USE THE SINGLE VS OR MULTI-SEGMENT FORMS WHEN ORDERING

ALL BAYS ARE PRE ASSEMBLED AND READY TO FIT. THE CILL WILL BE 300mm LONGER AT EACH SIDE

Bison Frames (UK) Ltd. Unit H1 Bromcliffe Park, Monk Bretton, Barnsley, S71 5RN. Tel: 01226 715250, Fax: 01226 707947, Email: sales@bisonframes.co.uk, Web: www.bisonframes.co.uk