

COMPANY:				ORDER	QUOTE	Viewed Outside	Page No.: _____ of _____			
TEL:		FAX:		Order Date: / /			ENERGY RATING	A	B	C
EMAIL:				Req'd Date: / /			PAS24:	YES	NO	
REF:				Signed: .....						
<b>Window Colour:</b>	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
<b>Hardware Colour:</b>	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUÉ BLACK	INSIDE	
<b>Spacer Bar Colour:</b>	SILVER (aluminium)	DARK BRONZE (aluminium)	GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE				

GRAF WELDED VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON				
<b>Please circle your choices</b>		<b>Quantity:</b>		<b>Please indicate clearly any Add-on and Georgian bar detail</b>				
<b>Location:</b>					<b>Width</b>			
<b>Sash Horns</b> <small>(No horns unless stated)</small>		<i>Mock Horns</i>	<i>Run Through (milled)</i>		<b>Height</b>			
<b>Bottom Sash Rail</b> <small>(Small welded rail unless stated as standard)</small>		<i>SMALL RAIL (welded)</i>	<i>DEEP RAIL (milled)</i>		<b>Top Glass Type</b>			
<b>VS CILL</b> <small>(Stub cill unless stated as standard)</small>		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>		
<b>VS Cam Locks</b> <small>(1 lock under 799mm – 2 locks 800mm and over)</small>		<i>ONE (1)</i>	<i>TWO (2)</i>		<b>Bottom Glass Type</b>			
<b>Travel Restrictor (limit stop)</b> <small>(No restrictor unless stated)</small>		<i>ONE (1)</i>	<i>TWO (2)</i>		<i>Toughened</i>	<i>Obscure</i>		
<b>Sash Tilt Restrictor Arms</b> <small>(Bottom only unless stated as standard)</small>		<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>		<b>Georgian Bar</b>			
<b>Trickle Vent</b> <small>(If required fitted to head of top sash)</small>		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>		
<b>Notes 1:</b>					<b>Notes 2:</b>			

GRAF WELDED VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON				
<b>Please circle your choices</b>		<b>Quantity:</b>		<b>Please indicate clearly any Add-on and Georgian bar detail</b>				
<b>Location:</b>					<b>Width</b>			
<b>Sash Horns</b> <small>(No horns unless stated)</small>		<i>Mock Horns</i>	<i>Run Through (milled)</i>		<b>Height</b>			
<b>Bottom Sash Rail</b> <small>(Small welded rail unless stated as standard)</small>		<i>SMALL RAIL (welded)</i>	<i>DEEP RAIL (milled)</i>		<b>Top Glass Type</b>			
<b>VS CILL</b> <small>(Stub cill unless stated as standard)</small>		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>		
<b>VS Cam Locks</b> <small>(1 lock under 799mm – 2 locks 800mm and over)</small>		<i>ONE (1)</i>	<i>TWO (2)</i>		<b>Bottom Glass Type</b>			
<b>Travel Restrictor (limit stop)</b> <small>(No restrictor unless stated)</small>		<i>ONE (1)</i>	<i>TWO (2)</i>		<i>Toughened</i>	<i>Obscure</i>		
<b>Sash Tilt Restrictor Arms</b> <small>(Bottom only unless stated as standard)</small>		<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>		<b>Georgian Bar</b>			
<b>Trickle Vent</b> <small>(If required fitted to head of top sash)</small>		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>		
<b>Notes 1:</b>					<b>Notes 2:</b>			

GRAF WELDED VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON				
<b>Please circle your choices</b>		<b>Quantity:</b>		<b>Please indicate clearly any Add-on and Georgian bar detail</b>				
<b>Location:</b>					<b>Width</b>			
<b>Sash Horns</b> <small>(No horns unless stated)</small>		<i>Mock Horns</i>	<i>Run Through (milled)</i>		<b>Height</b>			
<b>Bottom Sash Rail</b> <small>(Small welded rail unless stated as standard)</small>		<i>SMALL RAIL (welded)</i>	<i>DEEP RAIL (milled)</i>		<b>Top Glass Type</b>			
<b>VS CILL</b> <small>(Stub cill unless stated as standard)</small>		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>		
<b>VS Cam Locks</b> <small>(1 lock under 799mm – 2 locks 800mm and over)</small>		<i>ONE (1)</i>	<i>TWO (2)</i>		<b>Bottom Glass Type</b>			
<b>Travel Restrictor (limit stop)</b> <small>(No restrictor unless stated)</small>		<i>ONE (1)</i>	<i>TWO (2)</i>		<i>Toughened</i>	<i>Obscure</i>		
<b>Sash Tilt Restrictor Arms</b> <small>(Bottom only unless stated as standard)</small>		<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>		<b>Georgian Bar</b>			
<b>Trickle Vent</b> <small>(If required fitted to head of top sash)</small>		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>		
<b>Notes 1:</b>					<b>Notes 2:</b>			

COMPANY:	ORDER	QUOTE	Viewed Outside	Page No.:	of		
TEL:	FAX:	Order Date: / /		ENERGY RATING	A	B	C
EMAIL:	Req'd Date: / /		Signed: .....	PAS24:	YES	NO	
REF:							

### GRAF WELDED VS MULTI-SEGMENT DETAIL SHEET

<b>Window Colour:</b>	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
<b>Hardware Colour:</b>	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUA BLACK	INSIDE	
<b>Spacer Bar Colour:</b>	SILVER (aluminium)	DARK BRONZE (aluminium)	GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE				

#### GRAF WELDED VERTICAL SLIDING SASH SPEC/INFO

#### SIZES TO INCLUDE ALL CILLS AND ADD-ON

<b>Please circle your choices</b>	<b>Quantity:</b>		
<b>Location:</b>			
<b>Sash Horns</b> (No horns unless stated)	<i>Mock Horns</i>	<i>Run Through (milled)</i>	
<b>Bottom Sash Rail</b> (Small welded rail unless stated as standard)	<i>SMALL RAIL (welded)</i>	<i>DEEP RAIL (milled)</i>	
<b>VS CILL</b> (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
<b>VS Cam Locks</b> (1 lock under 799mm – 2 locks 800mm and over)	<i>ONE (1)</i>	<i>TWO (2)</i>	<i>NONE</i>
<b>Travel Restrictor (limit stop)</b> (No restrictor unless stated)	<i>ONE (1)</i>	<i>TWO (2)</i>	<i>NONE</i>
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>	<i>NONE</i>
<b>Trickle Vent</b> (If required fitted to head of top sash)	<i>YES</i>	<i>NO</i>	
<b>Notes 1:</b>			

**Please indicate clearly any Add-on and Georgian bar detail**

<b>Top Glass Type</b>	<b>Bottom Glass Type</b>	<b>Georgian Bar</b>	
<i>Toughened</i>	<i>Obscure</i>	<i>Toughened</i>	<i>Obscure</i>
		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>

#### GRAF WELDED VERTICAL SLIDING SASH SPEC/INFO

#### SIZES TO INCLUDE ALL CILLS AND ADD-ON

<b>Please circle your choices</b>	<b>Quantity:</b>		
<b>Location:</b>			
<b>Sash Horns</b> (No horns unless stated)	<i>Mock Horns</i>	<i>Run Through (milled)</i>	
<b>Bottom Sash Rail</b> (Small welded rail unless stated as standard)	<i>SMALL RAIL (welded)</i>	<i>DEEP RAIL (milled)</i>	
<b>VS CILL</b> (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
<b>VS Cam Locks</b> (1 lock under 799mm – 2 locks 800mm and over)	<i>ONE (1)</i>	<i>TWO (2)</i>	<i>NONE</i>
<b>Travel Restrictor (limit stop)</b> (No restrictor unless stated)	<i>ONE (1)</i>	<i>TWO (2)</i>	<i>NONE</i>
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>	<i>NONE</i>
<b>Trickle Vent</b> (If required fitted to head of top sash)	<i>YES</i>	<i>NO</i>	
<b>Notes 1:</b>			

**Please indicate clearly any Add-on and Georgian bar detail**

<b>Top Glass Type</b>	<b>Bottom Glass Type</b>	<b>Georgian Bar</b>	
<i>Toughened</i>	<i>Obscure</i>	<i>Toughened</i>	<i>Obscure</i>
		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>

#### GRAF WELDED VERTICAL SLIDING SASH SPEC/INFO

#### SIZES TO INCLUDE ALL CILLS AND ADD-ON

<b>Please circle your choices</b>	<b>Quantity:</b>		
<b>Location:</b>			
<b>Sash Horns</b> (No horns unless stated)	<i>Mock Horns</i>	<i>Run Through (milled)</i>	
<b>Bottom Sash Rail</b> (Small welded rail unless stated as standard)	<i>SMALL RAIL (welded)</i>	<i>DEEP RAIL (milled)</i>	
<b>VS CILL</b> (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
<b>VS Cam Locks</b> (1 lock under 799mm – 2 locks 800mm and over)	<i>ONE (1)</i>	<i>TWO (2)</i>	<i>NONE</i>
<b>Travel Restrictor (limit stop)</b> (No restrictor unless stated)	<i>ONE (1)</i>	<i>TWO (2)</i>	<i>NONE</i>
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>	<i>NONE</i>
<b>Trickle Vent</b> (If required fitted to head of top sash)	<i>YES</i>	<i>NO</i>	
<b>Notes 1:</b>			

**Please indicate clearly any Add-on and Georgian bar detail**

<b>Top Glass Type</b>	<b>Bottom Glass Type</b>	<b>Georgian Bar</b>	
<i>Toughened</i>	<i>Obscure</i>	<i>Toughened</i>	<i>Obscure</i>
		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>

COMPANY:		ORDER	QUOTE	Viewed Outside	Page No.: _____ of _____		
TEL:	FAX:	Order Date: / /		ENERGY RATING	A	B	C
EMAIL:		Req'd Date: / /		PAS24:	YES	NO	
REF:		Signed: .....					

### GRAF WELDED VS BAY & WELDED CILL DETAIL SHEET

<b>Window Colour:</b>	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
<b>Hardware Colour:</b>	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUÉ BLACK	INSIDE	
<b>Spacer Bar Colour:</b>	SILVER (aluminium)	DARK BRONZE (aluminium)	GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE				

#### GRAF WELDED VERTICAL SLIDING SASH SPEC/INFO

#### SIZES TO INCLUDE ALL CILLS AND ADD-ON

Please circle your choices		Quantity:	
Location:			
<b>Sash Horns</b> (No horns unless stated)	<i>Mock Horns</i>	<i>Run Through (milled)</i>	
<b>Bottom Sash Rail</b> (Small welded rail unless stated as standard)	<i>SMALL RAIL (welded)</i>	<i>DEEP RAIL (milled)</i>	
<b>VS CILL</b> (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
<b>VS Cam Locks</b> (1 lock under 799mm – 2 locks 800mm and over)	<i>ONE (1)</i>	<i>TWO (2)</i>	<i>NONE</i>
<b>Travel Restrictor (limit stop)</b> (No restrictor unless stated)	<i>ONE (1)</i>	<i>TWO (2)</i>	<i>NONE</i>
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>	<i>NONE</i>
<b>Trickle Vent</b> (If required fitted to head of top sash)	YES	NO	
<b>Notes 1:</b>			

Please indicate clearly any Add-on and Georgian bar detail					
A Left Side	B Front	C Right Side			
↓					
Split					
<b>Top Glass Type</b>		<b>Bottom Glass Type</b>		<b>Georgian Bar</b>	
<i>Toughened</i>	<i>Obscure</i>	<i>Toughened</i>	<i>Obscure</i>	<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>

#### INTERNAL CILL SIZES, OVERALL HEIGHTS & ANGLES

#### DRAW CILL PLAN BELOW

<b>Left side 'A' internal cill size</b>
<b>Front 'B' internal cill size</b>
<b>Right side 'C' internal cill size</b>
<b>Overall Height</b>
<b>Left Angle</b> (Variable angle VS bay post 120 to 150 degrees only)
<b>Right Angle</b> (Variable angle VS bay post 120 to 150 degrees only)

**90 DEGREE FIXED ANGLE VS BAY POST ALSO AVAILABLE**

IF YOU DO NOT REQUIRE A WELDED CILL & BAY POSTS USE THE SINGLE VS OR MULTI-SEGMENT FORMS WHEN ORDERING

ALL BAYS ARE PRE ASSEMBLED AND READY TO FIT. THE CILL WILL BE 300mm LONGER AT EACH SIDE