

COMPANY:				ORDER	QUOTE	Viewed Outside	Page No.: _____ of _____			
TEL:		FAX:		Order Date: / /			ENERGY RATING	A	B	C
EMAIL:				Req'd Date: / /			PAS24:	YES	NO	
REF:				Signed: .....						
<b>Window Colour:</b>	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
<b>Hardware Colour:</b>	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUÉ BLACK	INSIDE	
<b>Spacer Bar Colour:</b>	SILVER (aluminium)	DARK BRONZE (aluminium)	GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE				

GENESIS VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON			
Please circle your choices		Quantity:		Please indicate clearly any Add-on and Georgian bar detail			
Location:					Width		
<b>Sash Horns</b> (No horns unless stated)		<i>Run Through (milled)</i>	NONE		Height		
<b>Bottom Sash Rail</b> (Deep bottom rail as standard)		<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>		<b>Top Glass Type</b>		
<b>VS CILL</b> (Stub cill unless stated as standard)		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>	
<b>VS Cam Locks</b> (1 lock unless stated as standard)		ONE (1)	TWO (2)		NONE	<b>Bottom Glass Type</b>	
<b>Travel Restrictor (limit stop)</b> (no restrictor unless stated)		ONE (1)	TWO (2)		NONE	<i>Toughened</i>	<i>Obscure</i>
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)		<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>		NONE	<b>Georgian Bar</b>	
<b>Trickle Vent</b> (If required fitted to head of top sash)		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>	
Notes 1:				Notes 2:			

GENESIS VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON			
Please circle your choices		Quantity:		Please indicate clearly any Add-on and Georgian bar detail			
Location:					Width		
<b>Sash Horns</b> (No horns unless stated)		<i>Run Through (milled)</i>	NONE		Height		
<b>Bottom Sash Rail</b> (Deep bottom rail as standard)		<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>		<b>Top Glass Type</b>		
<b>VS CILL</b> (Stub cill unless stated as standard)		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>	
<b>VS Cam Locks</b> (1 lock unless stated as standard)		ONE (1)	TWO (2)		NONE	<b>Bottom Glass Type</b>	
<b>Travel Restrictor (limit stop)</b> (no restrictor unless stated)		ONE (1)	TWO (2)		NONE	<i>Toughened</i>	<i>Obscure</i>
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)		<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>		NONE	<b>Georgian Bar</b>	
<b>Trickle Vent</b> (If required fitted to head of top sash)		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>	
Notes 1:				Notes 2:			

GENESIS VERTICAL SLIDING SASH SPEC/INFO				SIZES TO INCLUDE ALL CILLS AND ADD-ON			
Please circle your choices		Quantity:		Please indicate clearly any Add-on and Georgian bar detail			
Location:					Width		
<b>Sash Horns</b> (No horns unless stated)		<i>Run Through (milled)</i>	NONE		Height		
<b>Bottom Sash Rail</b> (Deep bottom rail as standard)		<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>		<b>Top Glass Type</b>		
<b>VS CILL</b> (Stub cill unless stated as standard)		<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>		<i>Toughened</i>	<i>Obscure</i>	
<b>VS Cam Locks</b> (1 lock unless stated as standard)		ONE (1)	TWO (2)		NONE	<b>Bottom Glass Type</b>	
<b>Travel Restrictor (limit stop)</b> (no restrictor unless stated)		ONE (1)	TWO (2)		NONE	<i>Toughened</i>	<i>Obscure</i>
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)		<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>		NONE	<b>Georgian Bar</b>	
<b>Trickle Vent</b> (If required fitted to head of top sash)		YES	NO		<i>Internal (18mm)</i>	<i>Astragal (22mm)</i>	
Notes 1:				Notes 2:			

COMPANY:	ORDER	QUOTE	Viewed Outside	Page No.:	of		
TEL:	FAX:	Order Date: / /		ENERGY RATING	A	B	C
EMAIL:	Req'd Date: / /		Signed: .....	PAS24:	YES		NO
REF:							

## GENESIS VS MULTI-SEGMENT DETAIL SHEET

<b>Window Colour:</b>	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
<b>Hardware Colour:</b>	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUA BLACK	INSIDE	
<b>Spacer Bar Colour:</b>	SILVER (aluminium)	DARK BRONZE (aluminium)		GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE			

### GENESIS VERTICAL SLIDING SASH SPEC/INFO      SIZES TO INCLUDE ALL CILLS AND ADD-ON

<b>Please circle your choices</b>	<b>Quantity:</b>		
<b>Location:</b>			
<b>Sash Horns</b> (No horns unless stated)	<i>Run Through (milled)</i>	NONE	
<b>Bottom Sash Rail</b> (Deep bottom rail as standard)	<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>	
<b>VS CILL</b> (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
<b>VS Cam Locks</b> (1 lock unless stated as standard)	ONE (1)	TWO (2)	NONE
<b>Travel Restrictor (limit stop)</b> (no restrictor unless stated)	ONE (1)	TWO (2)	NONE
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>	NONE
<b>Trickle Vent</b> (If required fitted to head of top sash)	YES	NO	
<b>Notes:</b>			

<b>Please indicate clearly any Add-on and Georgian bar detail</b>					
Width					
↑	↓				Height
Split					
<b>Top Glass Type</b>		<b>Bottom Glass Type</b>		<b>Georgian Bar</b>	
Toughened	Obscure	Toughened	Obscure	Internal (18mm)	Astragal (22mm)

### GENESIS VERTICAL SLIDING SASH SPEC/INFO

<b>Please circle your choices</b>	<b>Quantity:</b>		
<b>Location:</b>			
<b>Sash Horns</b> (No horns unless stated)	<i>Run Through (milled)</i>	NONE	
<b>Bottom Sash Rail</b> (Deep bottom rail as standard)	<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>	
<b>VS CILL</b> (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
<b>VS Cam Locks</b> (1 lock unless stated as standard)	ONE (1)	TWO (2)	NONE
<b>Travel Restrictor (limit stop)</b> (no restrictor unless stated)	ONE (1)	TWO (2)	NONE
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>	NONE
<b>Trickle Vent</b> (If required fitted to head of top sash)	YES	NO	
<b>Notes:</b>			

<b>Please indicate clearly any Add-on and Georgian bar detail</b>					
Width					
↑	↓				Height
Split					
<b>Top Glass Type</b>		<b>Bottom Glass Type</b>		<b>Georgian Bar</b>	
Toughened	Obscure	Toughened	Obscure	Internal (18mm)	Astragal (22mm)

### GENESIS VERTICAL SLIDING SASH SPEC/INFO

<b>Please circle your choices</b>	<b>Quantity:</b>		
<b>Location:</b>			
<b>Sash Horns</b> (No horns unless stated)	<i>Run Through (milled)</i>	NONE	
<b>Bottom Sash Rail</b> (Deep bottom rail as standard)	<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>	
<b>VS CILL</b> (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
<b>VS Cam Locks</b> (1 lock unless stated as standard)	ONE (1)	TWO (2)	NONE
<b>Travel Restrictor (limit stop)</b> (no restrictor unless stated)	ONE (1)	TWO (2)	NONE
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>	NONE
<b>Trickle Vent</b> (If required fitted to head of top sash)	YES	NO	
<b>Notes:</b>			

<b>Please indicate clearly any Add-on and Georgian bar detail</b>					
Width					
↑	↓				Height
Split					
<b>Top Glass Type</b>		<b>Bottom Glass Type</b>		<b>Georgian Bar</b>	
Toughened	Obscure	Toughened	Obscure	Internal (18mm)	Astragal (22mm)

COMPANY:	ORDER	QUOTE	Viewed Outside	Page No.:	of		
TEL:	FAX:	Order Date: / /		ENERGY RATING	A	B	C
EMAIL:	Req'd Date: / /		Signed: .....	PAS24:	YES		NO
REF:							

## GENESIS VS BAY & WELDED CILL DETAIL SHEET

<b>Window Colour:</b>	White PVC	Golden OAK	Rosewood	Golden OAK on White	Rosewood on White	White FOIL	Cream FOIL	Anthracite GREY On White	BLACK/BROWN On White	Special Foil or RAL Window Colour OUTSIDE
<b>Hardware Colour:</b>	WHITE	GOLD	CHROME	FLAT BLACK	SATIN SILVER	GRAPHITE	BRONZE	ANTIQUÉ BLACK	INSIDE	
<b>Spacer Bar Colour:</b>	SILVER (aluminium)	DARK BRONZE (aluminium)	GOLD (aluminium)	BLACK WARMEDGE	GREY WARMEDGE	WHITE WARMEDGE				

### GENESIS VERTICAL SLIDING SASH SPEC/INFO

### SIZES TO INCLUDE ALL CILLS AND ADD-ON

Please circle your choices		Quantity:	
Location:			
<b>Sash Horns</b> (No horns unless stated)	<i>Run Through (milled)</i>	NONE	
<b>Bottom Sash Rail</b> (Deep bottom rail as standard)	<i>DEEP RAIL (milled)</i>	<i>SMALL RAIL (milled)</i>	
<b>VS CILL</b> (Stub cill unless stated as standard)	<i>STUB CILL (150)</i>	<i>PROJECT CILL (210)</i>	
<b>VS Cam Locks</b> (1 lock unless stated as standard)	ONE (1)	TWO (2)	NONE
<b>Travel Restrictor (limit stop)</b> (no restrictor unless stated)	ONE (1)	TWO (2)	NONE
<b>Sash Tilt Restrictor Arms</b> (Bottom only unless stated as standard)	<i>Bottom Sash (standard)</i>	<i>Top Sash &amp; Bottom Sash</i>	NONE
<b>Trickle Vent</b> (If required fitted to head of top sash)	YES	NO	
Notes:			

Please indicate clearly any Add-on and Georgian bar detail					
<b>A</b> Left Side		<b>B</b> Front		<b>C</b> Right Side	
<b>Top Glass Type</b>		<b>Bottom Glass Type</b>		<b>Georgian Bar</b>	
Toughened		Obscure		Internal (18mm)    Astragal (22mm)	

### INTERNAL CILL SIZES, OVERALL HEIGHTS & ANGLES

### DRAW CILL PLAN BELOW

Left side 'A' internal cill size
Front 'B' internal cill size
Right side 'C' internal cill size
Overall Height
Left Angle (Variable angle VS bay post 120 to 150 degrees only)
Right Angle (Variable angle VS bay post 120 to 150 degrees only)

**90 DEGREE FIXED ANGLE VS BAY POST ALSO AVAILABLE**

IF YOU DO NOT REQUIRE A WELDED CILL & BAY POSTS USE THE SINGLE VS OR MULTI-SEGMENT FORMS WHEN ORDERING

ALL BAYS ARE PRE ASSEMBLED AND READY TO FIT. THE CILL WILL BE 300mm LONGER AT EACH SIDE