

COMPANY:	ORDER	QUOTE	Viewed Outside	Page No.:	of		
TEL:	FAX:	Order Date: / /		ENERGY RATING	A	B	C
EMAIL:	Req'd Date: / /			PAS24:	YES	NO	
REF:	Signed:						

Window Colour:	White PVC	Golden OAK	Rosewood	White FOIL	Cream FOIL	Special Foil or RAL Window Colour OUTSIDE
	Golden OAK on White	Rosewood on White	Anthracite GREY On White	BLACK/BROWN On White	INSIDE	

Window 1: Specification

DIMENSIONS

Quantity

Location

Width

Height

Mullion

Transom Drop

FRAME OPTIONS

Cill

None

Stub (85mm)

150mm

180mm


Trickle Vent

Head Size

Sash

HARDWARE

Handle Type

Standard (Inline) 

Handle Colour

White

Gold


Chrome

Black

Satin

Smokey Chrome

Sash Jammer

One 

Two (Supplied Loose)

GLAZING

Obscure Glass

Pattern:

Toughened Glass

(Show location (T) on diagram)

Spacer Bar Colour

White Warmedge

Grey Warmedge

Black Warmedge

Unglazed

Georgian Bar

Internal (18mm)

Astragal (22mm)

EXTRAS

Add-On	15	20	35	50
Left	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Right	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Head	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cill	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please indicate clearly any Add-On and Astragal or Georgian Bar detail

Notes:

Window 2: Specification

DIMENSIONS

Quantity

Location

Width

Height

Mullion

Transom Drop

FRAME OPTIONS

Cill

None

Stub (85mm)

150mm

180mm


Trickle Vent

Head Size

Sash

HARDWARE

Handle Type

Standard (Inline) 

Handle Colour

White

Gold


Chrome

Black

Satin

Smokey Chrome

Sash Jammer

One 

Two (Supplied Loose)

GLAZING

Obscure Glass

Pattern:

Toughened Glass

(Show location (T) on diagram)

Spacer Bar Colour

White Warmedge

Grey Warmedge

Black Warmedge

Unglazed

Georgian Bar

Internal (18mm)

Astragal (22mm)

EXTRAS

Add-On	15	20	35	50
Left	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Right	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Head	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cill	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Please indicate clearly any Add-On and Astragal or Georgian Bar detail

Notes:

Window 3: Specification**DIMENSIONS**

Quantity

Location

Width

Height

Mullion


Transom Drop

FRAME OPTIONS**Cill**

- None
 Stub (85mm)
 150mm
 180mm

Trickle Vent

- Head
 Sash

HARDWARE**Handle Type****Handle Colour**

- White
 Gold
 Chrome
 Black
 Satin
 Smokey Chrome

Sash Jammer

- One
 Two
(Supplied Loose)

GLAZING Obscure Glass

Pattern:

Toughened Glass Toughened Glass(Show location  on diagram)**Spacer Bar Colour**

- White Warmedge
 Grey Warmedge
 Black Warmedge

Georgian Bar

- Internal (18mm)
 Astragal (22mm)

 Unglazed

Please indicate clearly any Add-On and Astragal or Georgian Bar detail

EXTRAS**Add-On**

15 20 35 50

Left	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Right	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Head	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cill	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Notes:

Window 4: Specification**DIMENSIONS**

Quantity

Location

Width

Height

Mullion


Transom Drop

FRAME OPTIONS**Cill**

- None
 Stub (85mm)
 150mm
 180mm

Trickle Vent

- Head
 Sash

HARDWARE**Handle Type****Handle Colour**

- White
 Gold
 Chrome
 Black
 Satin
 Smokey Chrome

Sash Jammer

- One
 Two
(Supplied Loose)

GLAZING Obscure Glass

Pattern:

Toughened Glass Toughened Glass(Show location  on diagram)**Spacer Bar Colour**

- White Warmedge
 Grey Warmedge
 Black Warmedge

Georgian Bar

- Internal (18mm)
 Astragal (22mm)

 Unglazed

Please indicate clearly any Add-On and Astragal or Georgian Bar detail

EXTRAS**Add-On**

15 20 35 50

Left	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Right	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Head	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cill	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Notes:

COMPANY:		ORDER	QUOTE	Viewed Outside	Page No.:	of		
TEL:	FAX:	Order Date: / /			ENERGY RATING	A	B	C
EMAIL:		Req'd Date: / /			PAS24:	YES		NO
REF:		Signed:						

Window Colour:	White PVC	Golden OAK	Rosewood	White FOIL	Cream FOIL	Special Foil or RAL Window Colour OUTSIDE
	Golden OAK on White	Rosewood on White	Anthracite GREY On White	BLACK/BROWN On White		INSIDE

Window 1: Specification

DIMENSIONS

Quantity

Location

FRAME OPTIONS

Cill

None

Stub (85mm)

150mm

180mm



Trickle Vent

Head

Sash

Size


HARDWARE

Handle Type	Handle Colour
 Standard (Inline)	<input type="checkbox"/> White
	<input type="checkbox"/> Gold
	<input type="checkbox"/> Chrome
	<input type="checkbox"/> Black
	<input type="checkbox"/> Satin
	<input type="checkbox"/> Smokey Chrome
	Sash Jammer
 Sash Jammer	<input type="checkbox"/> Two (Supplied Loose)

GLAZING

Obscure Glass

Pattern:

Toughened Glass
(Show location  on diagram)

Spacer Bar Colour

White Warmedge

Grey Warmedge

Black Warmedge

Unglazed

Georgian Bar

Internal (18mm)

Astragal (22mm)

EXTRAS

Add-On	15	20	35	50
Left	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Right	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Head	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cill	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Notes:

Notes 2:

Please indicate clearly any Add-On and Astragal or Georgian Bar detail

Width

Mullion

Transom Drop

Height



STANDARD TILT & TURN BAY & WELDED CILL DETAIL SHEET

BAY & WELDED CILL DETAIL SHEET

COMPANY:	ORDER	QUOTE	Viewed Outside	Page No.:	of		
TEL:	FAX:	Order Date:	/ /	ENERGY RATING	A	B	C
EMAIL:	Req'd Date:	/ /		PAS24:	YES	NO	
REF:	Signed:						

Window Colour:	White PVC	Golden OAK	Rosewood	White FOIL	Cream FOIL	Special Foil or RAL Window Colour OUTSIDE
	Golden OAK on White	Rosewood on White	Anthracite GREY On White	BLACK/BROWN On White		INSIDE

Window 1: Specification

DIMENSIONS

Quantity

Location

FRAME OPTIONS

Cill

None

Stub (85mm)

150mm

180mm


Trickle Vent

Head Size

Sash

HARDWARE

Handle Type **Handle Colour**

Standard (Inline) 

White


Gold

Chrome

Black

Satin

Smokey Chrome

Sash Jammer 

One

Two

(Supplied Loose)

GLAZING

Obscure Glass

Pattern:

Toughened Glass

(Show location (T) on diagram)

Spacer Bar Colour

White Warmedge

Grey Warmedge

Black Warmedge

Unglazed

Georgian Bar

Internal (18mm)

Astragal (22mm)

INTERNAL CILL SIZES & ANGLES

Frame No.	Internal Cill Size	Internal Angle

EXTRAS

Add-On	15	20	35	50
Left	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Right	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Head	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cill	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Notes:

Draw Frame Layout Below
Please indicate clearly any Add-On and Astragal or Georgian Bar detail
Sizes to include all Cills & Add-On

HEIGHTS & SIZES

Overall Height

Transom Drop

Draw Cill Plan Below

THE CILL WILL BE 300mm LONGER AT EACH SIDE
IF YOU DO NOT REQUIRE A WELDED CILL & BAY POSTS USE SINGLE FRAME OR
MULTI-SEGMENT FORMS WHEN ORDERING